

Keyword Driven Framework In Uft With Complete Source Code

Keyword Driven Framework in UFT with Complete Source Code

Automating tests is crucial for efficient software development, and UFT (Unified Functional Testing) offers robust capabilities for this. A particularly powerful approach is using a **keyword-driven framework in UFT**, which significantly improves test maintainability, reusability, and collaboration. This article dives deep into building such a framework, providing complete source code examples and exploring its advantages. We will also cover topics like **UFT test automation**, **data-driven testing in UFT**, and the overall implementation of a **keyword driven test framework**.

Understanding the Keyword Driven Framework in UFT

A keyword-driven framework, also known as a table-driven framework or action word framework, separates test script logic from test data. Test steps are represented by keywords, which are then mapped to actions within UFT. This decoupling allows business users, with limited coding experience, to design tests by selecting keywords and inputting data, while developers focus on creating robust, reusable functions. This approach dramatically reduces the time and effort needed for test creation and maintenance. For example, instead of writing complex VBScript code for each login attempt, a keyword like "Login" would execute the necessary actions.

Benefits of a Keyword Driven Framework in UFT

Adopting a keyword-driven testing approach in UFT offers several significant advantages:

- **Increased Reusability:** Keywords represent reusable components, significantly reducing redundant code. A single "ClickButton" keyword, for instance, can be used across multiple tests and applications.
- **Enhanced Maintainability:** Changes to the application under test require modifications only in the keyword's implementation, not across multiple test scripts.
- **Improved Collaboration:** Business analysts and testers can design tests using keywords without deep programming knowledge, fostering better collaboration between development and testing teams.
- **Reduced Development Time:** The reusable nature of keywords significantly accelerates test development.
- **Easier Test Data Management:** Test data is separated from the script logic, making it easier to manage and update. This naturally integrates with **data-driven testing in UFT**, enhancing the framework's flexibility.

Implementing a Keyword Driven Framework in UFT: Step-by-Step Guide

Let's illustrate the implementation with a simple login scenario. We will utilize Excel sheets to store our test data and keywords.

1. Keyword Repository (Excel Sheet):

Create an Excel sheet with columns for "Keyword," "Action," "Object," and "Value."

Keyword	Action	Object	Value
OpenBrowser	OpenBrowser	Browser	Chrome
Navigate	Navigate	URL	https://www.google.com
EnterText	Type	UsernameTextbox	myusername
EnterText	Type	PasswordTextbox	mypassword
ClickButton	Click	LoginButton	

| CloseBrowser| CloseBrowser | Browser | |

2. UFT Test Script:

```
`` `vbscript
```

```
Option Explicit
```

```
Function RunKeyword(Keyword, Action, Object, Value)
```

```
On Error Resume Next
```

```
Dim objObject
```

```
Set objObject = Description.Create()
```

```
objObject("name").Value = Object
```

```
Select Case Keyword
```

```
Case "OpenBrowser"
```

```
Browser("title:=.*").Open Value
```

```
Case "Navigate"
```

```
Browser("title:=.*").Navigate Value
```

```
Case "EnterText"
```

```
objObject.Type Value
```

```
Case "ClickButton"
```

```
objObject.Click

Case "CloseBrowser"

Browser("title:=.*").Close

Case Else

MsgBox "Keyword not found: " & Keyword

End Select

On Error GoTo 0

End Function

Sub Main

Dim objExcel, objWorksheet, i, LastRow

Set objExcel = CreateObject("Excel.Application")

objExcel.Visible = True

Set objWorksheet = objExcel.Workbooks.Open("C:\Keywords.xls").Worksheets(1) 'Path to your Excel file

LastRow = objWorksheet.Cells(Rows.Count, 1).End(xlUp).Row

For i = 2 To LastRow 'Start from row 2 to skip header row

RunKeyword objWorksheet.Cells(i, 1).Value, objWorksheet.Cells(i, 2).Value, objWorksheet.Cells(i, 3).Value, objWorksheet.Cells(i, 4).Value

Next
```

```
objExcel.Quit  
  
Set objExcel = Nothing  
  
End Sub  
  
...
```

This script reads the keyword data from the Excel sheet and executes the corresponding actions in UFT. Remember to replace `"C:\Keywords.xls"` with the actual path to your Excel file. This basic example demonstrates the fundamental principles. A more robust implementation would include error handling, logging, and more sophisticated object identification techniques. Furthermore, the usage of external libraries or customized functions can significantly enhance the capabilities of your **keyword driven test framework**.

Extending the Keyword Driven Framework: Advanced Techniques

This simple framework can be extended considerably. Consider adding features like:

- **Parameterization:** Pass dynamic values to keywords, allowing for greater flexibility in test execution.
- **Reporting:** Integrate with reporting tools to generate detailed test results.
- **Modular Design:** Break down complex keywords into smaller, more manageable sub-keywords.
- **Object Repository:** Utilize UFT's object repository for better object identification and maintenance.
- **Data-Driven Testing Integration:** Seamlessly integrate data from external sources like databases or CSV files.

Conclusion

Implementing a keyword-driven framework in UFT offers a significant upgrade in your test automation strategy. By separating test logic from test data, you achieve better maintainability, reusability, and collaboration. While the initial setup requires planning, the long-term benefits, including reduced development time and increased efficiency, are substantial. The provided code serves as a foundation; further development and customization will tailor it to your specific needs and testing environment. Remember that robust error handling and comprehensive reporting are essential for a production-ready keyword-driven framework. Utilizing this approach effectively

leverages the strengths of UFT for robust and efficient test automation.

FAQ

Q1: What are the limitations of a keyword-driven framework?

A1: While keyword-driven frameworks offer many advantages, they also have limitations. Complex test scenarios might require intricate keyword combinations, increasing the complexity of the keyword repository. Also, debugging can be more challenging compared to script-based approaches as you're working at a higher level of abstraction. Furthermore, initial setup and maintenance of the keyword repository can be time-consuming.

Q2: How does a keyword-driven framework differ from a data-driven framework?

A2: Keyword-driven frameworks separate test logic (keywords) from test data, while data-driven frameworks primarily focus on separating test data from test scripts. A keyword-driven framework uses keywords to represent actions, while a data-driven framework uses data sets to drive the test execution. Often, a hybrid approach is used, combining the strengths of both.

Q3: Can I use external data sources with my keyword-driven framework?

A3: Absolutely! The power of a keyword-driven framework shines when combined with external data sources. You can easily read test data from Excel files, databases (like SQL Server or Oracle), CSV files, or even APIs. This allows for a more efficient and flexible testing process.

Q4: How do I handle error conditions within my keywords?

A4: Robust error handling is crucial. Incorporate error-checking mechanisms within each keyword function. Use `On Error Resume Next` and `On Error GoTo 0` statements in VBScript to gracefully handle exceptions. Log error messages for detailed debugging and reporting.

Q5: What are some best practices for designing keywords?

A5: Keywords should be concise, descriptive, and easily understandable. Strive for reusability, making them as generic as possible. Avoid

overly complex keywords; break down complex actions into smaller, more manageable units. Maintain a consistent naming convention.

Q6: How can I integrate my keyword-driven framework with a CI/CD pipeline?

A6: Integrate your UFT tests into your CI/CD pipeline using tools like Jenkins or Azure DevOps. This allows for automated test execution as part of the build process, providing continuous feedback and improving the development cycle.

Q7: What are some alternatives to a keyword-driven framework in UFT?

A7: Other approaches include data-driven frameworks, modular frameworks, and hybrid frameworks combining aspects of various approaches. The best choice depends on the project's complexity and specific needs.

Q8: How can I improve the object identification within my keyword-driven framework?

A8: Employ a robust object repository and explore different object identification techniques, such as using descriptive programming, regular expressions, and smart identification. Consider using image-based recognition for scenarios with challenging object identification.

Keyword Driven Framework in UFT with Complete Source Code: Streamlining Your Test Automation

Automating testing procedures is essential in today's fast-paced software delivery cycle . Amongst the plethora of validation frameworks at hand, the Keyword Driven Framework (KDF) resides out for its flexibility and maintainability . This article explores into the implementation of a KDF inside UFT (Unified Functional Testing), providing a complete source code example and emphasizing its perks.

The core idea behind a KDF involves separating test rationale from test information . Test steps are depicted as keywords, each associating to a particular action inside the application under test (AUT). Those keywords are maintained in outside data sources like databases, allowing testers to simply change test scenarios without altering the subjacent code. This promotes reusability and substantially lessens maintenance effort .

Think of it like a instruction manual : the keywords are like the components , and the data sheet is the recipe itself. You can simply change elements (data) without re-writing the entire guideline (script).

Implementing a Keyword Driven Framework in UFT:

The following sections describe the implementation of a KDF using UFT. We will focus on a simplified example, but the ideas can be scaled to handle more intricate cases.

1. Keyword Definition:

We begin by defining our keywords. Such keywords will embody typical actions carried out during testing, such as login , navigate to a precise page, type data into boxes , and verify outcomes . Each keyword will be associated to a corresponding UFT procedure.

2. Data Sheet:

Next, we create an separate data sheet (e.g., an Excel spreadsheet) to store test data. That sheet will contain columns for each keyword and the related data necessary for that keyword. For example, for the "login" keyword, we might have columns for "username" and "password".

3. UFT Script:

Our UFT code will then retrieve the data from the separate data sheet and run the corresponding UFT functions grounded on the keywords present in the data.

Complete Source Code Example:

(Note: This is a simplified example. A real-world implementation would be significantly more thorough .)

```
```\vbscript
```

```
' UFT Script
```

```
Option Explicit
```

```
Sub Main()
```

```
Dim objExcel, objWorksheet, strKeyword, strData

Dim iRow, iCol, lastRow

' Create Excel object

Set objExcel = CreateObject("Excel.Application")

Set objWorksheet = objExcel.Workbooks.Open("C:\testData.xls").Worksheets("Sheet1") 'Change path

' Get last row

lastRow = objWorksheet.Cells(Rows.Count, 1).End(xlUp).Row

' Loop through each row in the Excel sheet

For iRow = 2 To lastRow 'Start from row 2 to skip header

strKeyword = objWorksheet.Cells(iRow, 1).Value

Select Case strKeyword

Case "Login"

Call Login(objWorksheet.Cells(iRow, 2).Value, objWorksheet.Cells(iRow, 3).Value)

Case "NavigateToPage"

Call NavigateToPage(objWorksheet.Cells(iRow, 2).Value)

Case "EnterData"

Call EnterData(objWorksheet.Cells(iRow, 2).Value, objWorksheet.Cells(iRow, 3).Value)
```

```
Case "VerifyResult"
Call VerifyResult(objWorksheet.Cells(iRow, 2).Value)
Case Else
Reporter.ReportEvent micFail, "Keyword not found:", strKeyword
End Select
Next iRow
' Clean up
objWorksheet.Close
objExcel.Quit
Set objWorksheet = Nothing
Set objExcel = Nothing
End Sub
' Function to perform login
Sub Login(strUsername, strPassword)
' UFT code to perform login using strUsername and strPassword
' ...your login code here...
Reporter.ReportEvent micPass, "Login successful", "User: " & strUsername
```

End Sub

' ...other functions for NavigateToPage, EnterData, VerifyResult...

```

testData.xls (Example):

| Keyword | Data1 | Data2 |
|----------------|-----------------|-------|
| Login | user1 | pass1 |
| NavigateToPage | /homePage | |
| EnterData | txtFirstName | John |
| VerifyResult | Success Message | |

Advantages of Keyword Driven Framework:

- Increased recyclability of test modules.
- Streamlined test maintenance .
- Increased collaboration between testers and project managers.
- Lessened test development time.
- Stronger test reach .

Conclusion:

The Keyword Driven Framework provides a robust and efficient approach to test engineering . By differentiating test logic from test data, it substantially betters longevity and minimizes upkeep expense . The illustration source code provides a fundamental skeleton that can

be extended and customized to accommodate different validation needs.

Frequently Asked Questions (FAQs):

Q1: What are the limitations of a Keyword Driven Framework?

A1: While strong, KDFs can turn intricate to manage for highly extensive and intricate projects. The beginning setup can also require significant exertion .

Q2: Can I integrate a Keyword Driven Framework with other testing tools?

A2: Yes, KDFs are not restricted to UFT. The subjacent ideas can be implemented with other testing tools and idioms.

Q3: How do I handle errors within a Keyword Driven Framework?

A3: Solid error handling is vital. You can implement try-catch blocks within your UFT functions to capture and handle errors gracefully .

Q4: What are some best practices for designing a Keyword Driven Framework?

A4: Follow straightforward naming guidelines for keywords. Keep keywords brief and concentrated . Adequately document your keywords and their role. Use a source control system to manage changes to your framework .

[lehninger principles of biochemistry 6th edition test bank](#)

[social computing behavioral cultural modeling and prediction author john j salerno apr 2011](#)

[honda odyssey owners manual 2009](#)

[mudras bandhas a summary yogapam](#)

[volvo penta md1b 2b 3b workshop service manual download](#)

[ducati 749 operation and maintenance manual 2003](#)

[driver operator 1a study guide](#)

[john deere grain moisture tester manual](#)

[molecules of life solutions manual](#)

[marketing management by kolter examcase study and answer](#)

[tropics of desire interventions from queer latino america sexual cultures](#)
[austin seven workshop manual](#)